

# ALPHA1-PROTEINASE INHIBITOR (HUMAN) ORDER FORM

- Glassia  Prolastin-C Liquid  Zemaira  
 **Dispense As Written (DAW)**

Will substitute for biosimilar or reference product based on insurance and availability

## PATIENT INFORMATION

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_  
 Mobile Number: \_\_\_\_\_ Patient Weight: \_\_\_\_\_ kg  
 Allergies: \_\_\_\_\_  
 Patient has known difficult venous access. Comments: \_\_\_\_\_  
 New Start Therapy |  Continuation of Therapy & Date of last dose (if applicable): \_\_\_\_\_

## DIAGNOSIS (Provider must specify)

- Emphysema due to severe hereditary deficiency of Alpha1-PI (alpha1-antitrypsin deficiency), ICD 10: E88.01  
 Other: \_\_\_\_\_

## PROVIDER INFORMATION

Provider Name (print name): \_\_\_\_\_ Provider NPI: \_\_\_\_\_  
 Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
 Contact Name: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Email Address: \_\_\_\_\_

**Prerequisites to treatment** – ensure the following information is complete and attached with referral:

- Demographics  Labs and tests supporting diagnosis  Office/progress notes

## PRE-MEDICATION (Not typically indicated)

- Acetaminophen (Tylenol) 500 mg PO  Famotidine 20 mg IV  Methylprednisolone (Solu-Medrol) 125 mg IVP  
 Benadryl 25mg PO  Cetirizine (Zyrtec) 10 mg PO  
 Other: \_\_\_\_\_ Dose: \_\_\_\_\_ Route: \_\_\_\_\_

## MEDICATION

MEDICATION	DOSE	ROUTE	FREQUENCY
Alpha1-Proteinase Inhibitor (Human)	60 mg/kg body weight intravenously once per week	IV	Once per week

## LABS / SPECIAL INSTRUCTIONS

Order valid for 1 year from date of signature unless otherwise specified here: \_\_\_\_\_

**FAX NUMBERS:**

- CT: 203.433.0621  
 FL: 904.877.9270

- MA: 413.296.8482  
 MD: 240.224.8607  
 ME: 207.407.7272

- NC: 919.984.8698  
 NH: 603.217.5371  
 NJ: 201.581.4521

- NY: 631.250.6020  
 OH: 937.871.4594  
 PA: 610.273.5998

- SC: 864.973.6279  
 VA: 703.202.0499