

PEMGARDA (PEMIVIBART) ORDER FORM

PATIENT INFORMATION

Patient Name: _____ DOB: _____
 Mobile Number: _____ Patient Weight: _____ kg
 Allergies: _____
 Patient has known difficult venous access. Comments: _____
 New Start Therapy | Continuation of Therapy & Date of last dose (if applicable): _____

DIAGNOSIS (Provider must specify)

Pre-exposure prophylaxis of coronavirus disease 2019 (COVID-19) in adults and adolescents (12 years of age) who have moderate-to-severe immune compromise, ICD 10: _____

PROVIDER INFORMATION

Provider Name (print name): _____ Provider NPI: _____
 Signature: _____ Date: _____
 Contact Name: _____ Phone: _____ Fax: _____
 Email Address: _____

Prerequisites to treatment – ensure the following information is complete and attached with referral:

- Demographics Labs and tests supporting diagnosis Office/progress notes

PRE-MEDICATION (Not typically indicated)

Acetaminophen (Tylenol) 500 mg PO Famotidine 20 mg IV Methylprednisolone (Solu-Medrol) 125 mg IVP
 Benadryl 25mg PO Cetirizine (Zyrtec) 10 mg PO
 Other: _____ Dose: _____ Route: _____

MEDICATION

MEDICATION	DOSE	ROUTE	FREQUENCY
Pemgarda	<input type="checkbox"/> Initial Dose: 4500 mg administered as a single intravenous infusion. <input type="checkbox"/> Repeat Dose: 4500 mg administered as a single intravenous infusion approximately every 3 months.	IV	q 3 months

LABS / SPECIAL INSTRUCTIONS

Order valid for 1 year from date of signature unless otherwise specified here: _____

FAX NUMBERS:

CT: 203.433.0621
 FL: 904.877.9270

MA: 413.296.8482
 MD: 240.224.8607
 ME: 207.407.7272

NC: 919.984.8698
 NH: 603.217.5371
 NJ: 201.581.4521

NY: 631.250.6020
 OH: 937.871.4594
 PA: 610.273.5998

SC: 864.973.6279
 VA: 703.202.0499